### ERGO 380 DYNAMIC





### ERGO 380 DYNAMIC



# World's lightest dual motor upright

Ergo 380 has been designed for high use vacuuming with the handle weight as low as 860g.

Hotel rooms, corridors, ballroom, show rooms, stores, restaurants, cinemas, conference rooms, etc.

#### **FEATURES**

- Design, technology and construction 100% made in Italy
- The world's lightest (860g. on the handle)
- Low center of gravity provides stability when using the hose
- Telescopic handle for maximum comfort
- Ultra strong with metal brush supports with bearings
- Accessories integrated on board
- Replacement filter bag on board
- Integrated dry cleaning system
- Interchangeable roller covers for carpets and floors
- High efficiency electric motors (Class A)











### THE WORLD'S LIGHTEST DUAL MOTOR UPRIGHT VACUUM

Patented weight distribution system that minimises weight on the handle to 860g. Both motors are positioned on the base housing, all accessories are located on the lower part of the suction body.

#### MAINTENANCE WITHOUT TOOLS

No tools are required to replace the brush roller or to clean the base housing. The 5000 RPM brush roller is dynamically balanced. The brush supports are metal with ball-bearings. Nothing can be easier.

#### **ON BOARD TOOLS**

The accessories: extension hose 1-4 with handle, telescopic wand, crevice tool, upholstery tool, replacement bag are all positioned on the back of the machine.

#### PATENTED DRY CLEANING SYSTEM

In 10 seconds and without any tools you can install the Patented DCS converter and the machine is ready to dry-clean rugs and carpets. The ecological Lindhaus products are available for the maintenance of any textile surface. The mechanical action of the brush at 5000 RPM together with the Lindhaus cleaning solutions provide deep cleaning action which leaves your carpets and rugs soft, clean and sanitized.





## ERGO 380 DYNAMIC



| Input power                      | 930 w           |
|----------------------------------|-----------------|
| Vacuum                           | 2300 mm/H2O     |
| Air flow                         | 49 (lt/sec)/cfm |
| Motor protection system          | Thermal/amp.    |
| Two ply paper bag                | 4.5 lt.         |
| Carbon Microfilter (exhaust)     | standard        |
| S-class hepa filter (return air) | standard        |
| Cogged drive belt standard       | standard        |
| Overload electronic control      | standard        |
| Convergent bristles brush        | 5000 rpm.       |
| Working capacity                 | 630 sqm/h       |
| Noise level                      | 68.6 db (A)     |
| Total weight                     | 7.86 Kg         |
| Handle weight                    | 0.86 Kg         |
| Cord length                      | 10 m            |
|                                  |                 |

**TECHNICAL INFORMATION** 

#### PARTS & ACCESSORIES



Pack-8 bags, 2 filters, 1 HEPA filter suit ERGO380

5555

Felt brush shoe plate for delicate floor